

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	0	"10672367"	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	22	"672367"	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	37	francis.in. and mckeen.in.	USPAT
4	BRS	L4	7	francis.in. and mckeen.in. and stack	USPAT
5	BRS	L6	1	"6697774".pn.	USPAT
6	BRS	L9	49	sharangpani.in.	USPAT
7	BRS	L10	0	sharangpani.in. and hall.in.	USPAT
8	BRS	L13	0	supres\$4 near2 WAW	USPAT
9	BRS	L14	0	suppres\$4 near2 WAW	USPAT
10	BRS	L15	0	suppres\$4 with WAW	USPAT

	Type	L #	Hits	Search Text	DBs
11	BRS	L18	0	gochmann.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
12	BRS	L19	47	gochman.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
13	BRS	L22	10	(return adj address) with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
14	BRS	L23	2003	(return adj address) with (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
15	BRS	L24	1226	(return adj address) near2 (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
16	BRS	L25	0	(return adj address) near2 (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
17	BRS	L27	1403	(return adj address) and stack and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
18	BRS	L29	103	(return adj address) with stack with compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
19	BRS	L35	18	buffer near2 overflow near2 management	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
20	BRS	L37	88	(buffer or stack) near2 overflow near2 (management or prevention)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
21	BRS	L38	1372	(buffer or stack) near2 overflow near2 (management or prevent\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
22	BRS	L39	253	(buffer or stack) near2 overflow near2 (management or prevent\$3) and call	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
23	BRS	L41	1	"6697774".pn.	USPAT
24	BRS	L42	49	sharangpani.in.	USPAT
25	BRS	L43	0	sharangpani.in. and hall.in.	USPAT
26	BRS	L44	0	suppres\$4 near2 WAW	USPAT
27	BRS	L45	0	suppres\$4 near2 WAW	USPAT
28	BRS	L46	0	suppres\$4 with WAW	USPAT

	Type	L #	Hits	Search Text	DBs
29	BRS	L47	0	gochmann.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
30	BRS	L48	47	gochman.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
31	BRS	L49	10	(return adj address) with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
32	BRS	L50	2003	(return adj address) with (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
33	BRS	L51	1226	(return adj address) near2 (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
34	BRS	L52	0	(return adj address) near2 (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
35	BRS	L53	1403	(return adj address) and stack and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
36	BRS	L54	103	(return adj address) with stack with compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
37	BRS	L72	149	712/202.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
38	BRS	L73	362	712/209.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
39	BRS	L74	154	712/211.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
40	BRS	L75	693	712/227.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
41	BRS	L76	102	712/230.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
42	BRS	L77	52	712/231.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
43	BRS	L78	598	712/244.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
44	BRS	L79	1837	712/233-240.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
45	BRS	L80	691	712/245.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
46	BRS	L81	691	712/228.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
47	BRS	L82	1	"6697774".pn.	USPAT
48	BRS	L83	49	sharangpani.in.	USPAT
49	BRS	L84	0	sharangpani.in. and hall.in.	USPAT
50	BRS	L85	0	supres\$4 near2 WAW	USPAT
51	BRS	L86	0	suppres\$4 near2 WAW	USPAT
52	BRS	L87	0	suppres\$4 with WAW	USPAT

	Type	L #	Hits	Search Text	DBs
53	BRS	L88	0	gochmann.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
54	BRS	L89	47	gochman.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
55	BRS	L90	10	(return adj address) with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
56	BRS	L91	2003	(return adj address) with (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
57	BRS	L92	1226	(return adj address) near2 (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
58	BRS	L93	0	(return adj address) near2 (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
59	BRS	L94	1403	(return adj address) and stack and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
60	BRS	L95	103	(return adj address) with stack with compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
61	BRS	L112	129	buffer near2 overflow near2 attack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
62	BRS	L113	108	buffer adj overflow adj attack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
63	BRS	L114	72	buffer adj overflow adj attack and stack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
64	BRS	L116	72	compar\$ near2 return near2 address	USPAT
65	BRS	L117	13	L116 and overflow	USPAT
66	BRS	L120	357	branch near2 condition near2 register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
67	BRS	L123	1013	condition adj code adj register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
68	BRS	L124	4584	condition\$3 near2 branch near2 instruction	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
69	BRS	L125	1013	condition adj code adj register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
70	BRS	L126	1788	(condition adj code adj register) or (processor adj status adj (register or word))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
71	BRS	L128	1478	(condition adj code adj register) or (processor adj status adj register)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
72	BRS	L130	240586 4	L125 carry	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
73	BRS	L131	3691	conditional near2 branch near2 instruction	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
74	BRS	L132	1013	condition adj code adj register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
75	BRS	L134	0	"branch on condition" and (condition adj code adj register)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
76	BRS	L135 0		"branch on condition"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
77	BRS	L136 0		branch near2 condition adj register adj bit adj value	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
78	BRS	L138 0		"5604877.pn"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
79	BRS	L139	0	"5604877.pn"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
80	BRS	L140	51	"5604877"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
81	BRS	L5	1	"6317820".pn.	USPAT
82	BRS	L7	1	"6697774".pn.	USPAT
83	BRS	L8	1	"5761470".pn.	USPAT
84	BRS	L11	1	sharangpani.in. and stop adj bit	USPAT
85	BRS	L12	1	"5930508".pn.	USPAT
86	BRS	L55	1	"6317820".pn..	USPAT
87	BRS	L56	1	"6697774".pn.	USPAT
88	BRS	L57	1	"5761470".pn.	USPAT
89	BRS	L58	1	sharangpani.in. and stop adj bit	USPAT
90	BRS	L59	1	"5930508".pn.	USPAT
91	BRS	L96	1	"6317820".pn.	USPAT
92	BRS	L97	1	"6697774".pn.	USPAT
93	BRS	L98	1	"5761470".pn.	USPAT
94	BRS	L99	1	sharangpani.in. and stop adj bit	USPAT
95	BRS	L100	1	"5930508".pn.	USPAT

	Type	L #	Hits	Search Text	DBs
96	BRS	L16	3	suppres\$4.with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
97	BRS	L17	6	bypass\$3 with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
98	BRS	L20	6	gochman.in. and stack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
99	BRS	L21	10	return adj address with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
100	BRS	L26	2	(return adj address) with (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
101	BRS	L28	48	(return adj address) with stack with exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
102	BRS	L30	41	(return adj address) with stack near4 compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
103	BRS	L31	6	((return adj address) with stack near4 compar\$3) and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
104	BRS	L32	2	"6351796".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
105	BRS	L33	2	"6374350".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
106	BRS	L34	2	"5604877".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
107	BRS	L36	5	stack near2 overflow near2 management	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
108	BRS	L60	2	(return adj address) with (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
109	BRS	L61	3	suppres\$4 with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
110	BRS	L62	6	bypass\$3 with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
111	BRS	L63	6	gochman.in. and stack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
112	BRS	L64	10	return adj address with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
113	BRS	L65	48	(return adj address) with stack with exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
114	BRS	L66	41	(return adj address) with stack near4 compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
115	BRS	L67	6	((return adj address) with stack near4 compar\$3) and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
116	BRS	L68	2	"6351796".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
117	BRS	L69	2	"6374350".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
118	BRS	L70	2	"5604877".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
119	BRS	L71	2	"6289444".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
120	BRS	L101	2	(return adj address) with (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
121	BRS	L102	3	suppres\$4 with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
122	BRS	L103	6	bypass\$3 with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
123	BRS	L104	6	gochman.in. and stack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
124	BRS	L105	10	return adj address with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
125	BRS	L106	48	(return adj address) with stack with exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
126	BRS	L107	41	(return adj address) with stack near4 compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
127	BRS	L108	6	((return adj address) with stack near4 compar\$3) and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
128	BRS	L109	2	"6351796".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
129	BRS	L110	2	"6374350".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
130	BRS	L111	2	"5604877".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
131	BRS	L115	66	buffer adj overflow adj attack and stack and address	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
132	BRS	L118	3	L116 and (buffer near2 overflow)	USPAT

	Type	L #	Hits	Search Text	DBs
133	BRS	L119	49	branch adj control adj bit	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
134	BRS	L121	23	branch near2 condition near2 register near2 bit	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
135	BRS	L137	39	branch near2 condition with register with bit with value	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
136	BRS	L40	198	(buffer or stack) near2 overflow near2 (management or prevent\$3) and call and address	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
137	BRS	L127	253	L125 and (carry near2 bit)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
138	BRS	L122	418	condition adj code adj register with bit	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
139	BRS	L129	460	L128 and L124	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
140	BRS	L133	1182	L126 and branch	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.